

**STT-051  
Square Signal Lamp**

**Picture**




**Specification**

- Voltage:** 10V-30V
- Function:** Tail/Stop
- Base:** ABS
- Housing:** ABS
- Outer Lens:** PMMA
- Inner Lens:** PC
- Approval:** ECE R7, R10
- Warranty:** 3 Years
- Mounting:** Screw
- IP grade:** IP67
- Sealing:** Ultrasonic Welding
- Operating Temperature:** -40°C to +65°C
- Connection:** 250 mm wire
- Weight:** 150g
- Package:** Inner box: 105\*40\*105mm  
Outer box: 545\*220\*230mm  
Qty: 50PCS/ Carton

Function	Peak Power	LED Quantity	Approvals
Tail(diffused)	2.8 W	16PCS	ECE R7 EMC R10
Stop	2.3 W	8PCS	ECE R7 EMC R10

**Size(mm)**





**STTD-051  
Square Signal Lamp**

**Picture**




**Specification**

- Voltage:** 10V-30V
- Function:** Tail/Stop/DI
- Base:** ABS
- Housing:** ABS
- Outer Lens:** PMMA
- Inner Lens:** PC
- Approval:** ECE R6, R7, R10
- Warranty:** 3 Years
- Mounting:** Screw
- IP grade:** IP67
- Sealing:** Ultrasonic Welding
- Operating Temperature:** -40°C to +65°C
- Connection:** 250 mm wire
- Weight:** 150g
- Package:** Inner box: 105\*40\*105mm  
Outer box: 545\*220\*230mm  
Qty: 50PCS/ Carton

Function	Peak Power	LED Quantity	Approvals
Tail(diffused)	2.8 W	16PCS	ECE R7 EMC R10
Stop	2.3 W	6PCS	ECE R7 EMC R10
DI	1.4 W	6PCS	ECE R6 EMC R10

**Size(mm)**





**TD-051  
Square Signal Lamp  
Specification**


**Picture**



- Voltage:** 10V-30V
- Function:** Tail/DI
- Base:** ABS
- Housing:** ABS
- Lens:** PMMA
- Reflector:** PC
- Approval:** ECE R6, R7, R10
- Warranty:** 3 Years
- Mounting:** Screw
- IP grade:** IP67
- Sealing:** Ultrasonic Welding
- Operating Temperature:** -40°C to +65°C
- Connection:** 250 mm wire
- Weight:** 150g
- Package:** Inner box: 105\*40\*105mm  
Outer box: 545\*220\*230mm  
Qty: 50PCS/ Carton

Function	Peak Power	LED Quantity	Approvals
Tail(diffused)	2.8 W	16PCS	ECE R7 EMC R10
DI	1.4 W	8PCS	ECE R6 EMC R10

**Size(mm)**



**TR-051  
Square Signal Lamp  
Specification**

**Picture**



- Voltage:** 10V-30V
- Function:** Tail/Reverse
- Base:** ABS
- Housing:** ABS
- Outer Lens:** PMMA
- Inner Lens:** PC
- Approval:** ECE R7, R23, R10
- Warranty:** 3 Years
- Mounting:** Screw
- IP grade:** IP67
- Sealing:** Ultrasonic Welding
- Operating Temperature:** -40°C to +65°C
- Connection:** 250 mm wire
- Weight:** 150g
- Package:** Inner box: 105\*40\*105mm  
Outer box: 545\*220\*230mm  
Qty: 50PCS/ Carton

Function	Peak Power	LED Quantity	Approvals
Tail (diffused)	2.8 W	16PCS	ECE R7 EMC R10
Reverse	2.5 W	8PCS	ECE R23 EMC R10

**Size(mm)**

