17-30C2RW-180   LED ENDING OUTLINE STALK MARKE

|	
DESCRIPTION	· 4 PCS White, 4 PCS Red SMD LED · ABS/ PC Black Housing, PMMA Lens · EPDM Arm 180° · Front/ Rear Marker Function
VOLTAGE	10-30V
POWER CONSUMPTION	1W
MOUNT	ST 4.2
APPROVALS	ECE R7
FUNCTION	Front Position: 0.5W; Rear Position: 0.5W
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40° C to +65° C
PACKAGING	Net Weight: 0.133KG Innerbox: 90*45*78mm Outer Packing Carton: 403*250*200mm PackingQty: 50PCS/CTN

17-30C2RW-60-HL — LED ENDING OUTLINE STALK MARKER(L)
17-30C2RW-60-HR — LED ENDING OUTLINE STALK MARKER(R)

|	
DESCRIPTION	· 4PCS White, 4PCS Red SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 60 ° · Front/ Rear Marker Function · Horizontal Mounting
VOLTAGE	10-30V
POWER CONSUMPTION	1W
MOUNT	ST 4.2
APPROVALS	ECE R7
FUNCTION	Front Position: 0.5W; Rear Position: 0.5W
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40° C to +65° C
PACKAGING	Net Weight: 0.176KG Innerbox: 145*50*170mm Outer Packing Carton: 305*273*360mm PackingQty: 20PCS/ CTN

17-30C2RW-60-HL

17-30C2RW-60-HR

17-30C2RW-60-HR   17-30C2RW-60-HL

142.5±1.5 70.0±0.5 43.0 30.0±0.3 45.0±0.5

Φ60.4 129.0±1.5 160.0±2.0 60°±1° 9.0 70±1.0

17-30C2RW-60-VL — LED ENDING OUTLINE STALK MARKER(L)
17-30C2RW-60-VR — LED ENDING OUTLINE STALK MARKER(R)

|	
DESCRIPTION	· 4PCS White, 4PCS Red SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 60° · Front/Rear Marker Function · Vertical Mounting
VOLTAGE	10-30V
POWER CONSUMPTION	1W
MOUNT	ST 4.2
APPROVALS	ECE R7
FUNCTION	Front Position: 0.5W; Rear Position: 0.5W
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40° C to +65° C
PACKAGING	Net Weight: 0.176KG Innerbox: 145*50*170mm Outer Packing Carton: 305*273*360mm PackingQty: 20PCS/ CTN

17-30C2RW-60-VL

17-30C2RW-60-VR

17-30C2RW-60-VR   17-30C2RW-60-VL

86.0±1.0 38.8 5.0 22.5 Φ15.0

LED MARKER LAMPS

17-30C2RW-90-HL	**LED ENDING OUTLINE STALK MARKER(L)**
17-30C2RW-90-HR	**LED ENDING OUTLINE STALK MARKER(R)**

|	
DESCRIPTION	· 4PCS White, 4PCS Red SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 90° · Front/Rear Marker Function · Horizontal Mounting
VOLTAGE	10-30V
POWER CONSUMPTION	1W
MOUNT	ST 4.2
APPROVALS	ECE R7
FUNCTION	Front Position: 0.5W; Rear Position: 0.5W
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40º C to +65º C
PACKAGING	Net Weight: 0.193KG Innerbox: 163*50*154mm Outer Packing Carton: 340*273*328mm PackingQty:20PCS/ CTN

17-30C2RW-90-HL   **17-30C2RW-90-HR**

17-30C2RW-90-HR
17-30C2RW-90-HL

17-30C2RW-90-VL	**LED ENDING OUTLINE STALK MARKER(L)**
17-30C2RW-90-VR	**LED ENDING OUTLINE STALK MARKER(R)**

|	
DESCRIPTION	· 4PCS White, 4PCS Red SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 90° · Front/Rear Marker Function · Vertical Mounting
VOLTAGE	10-30V
POWER CONSUMPTION	1W
MOUNT	ST 4.2
APPROVALS	ECE R7
FUNCTION	Front Position:0.5W; Rear Position: 0.5W
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40º C to +65º C
PACKAGING	Net Weight: 0.193KG Innerbox:163*50*154mm Outer Packing Carton:340*273*328mm PackingQty: 20PCS/ CTN

17-30C2RW-90-VL   **17-30C2RW-90-VR**

17-30C2RW-90-VR   17-30C2RW-90-VL

LED MARKER LAMPS

17-48C2RW — LED ENDING OUTLINE STALK MARKER LAMP

|	
DESCRIPTION	· 4PCS SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 45° · Front/Rear Marker Function
VOLTAGE	10-30V
POWER CONSUMPTION	1.6W
MOUNT	ST 3.5
APPROVALS	ECE R7
FUNCTION	Front Position; Rear Position;
LENS COLOR	Clear and Red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40º C to +65º C
PACKAGING	Net Weight: 0.18KG Inner box:148*66*154mm Outer Packing Carton:353*310*328mm PackingQty: 20PCS/CTN

| PART NUMBER	MOUNT	VOLTAGE	LEDs	OUTER LENS COLOR
17-48C2RW-LH2	HORIZONTAL MOUNT	10-30V	2 PCS SMD White 2 PCS SMD Red	Clear Lens
17-48C2RW-RH2	HORIZONTAL MOUNT		2 PCS SMD White 2 PCS SMD Red	
17-48C2RW-LV2	VERTICAL MOUNT		2 PCS SMD White 2 PCS SMD Red	
17-48C2RW-RV2	VERTICAL MOUNT		2 PCS SMD White 2 PCS SMD Red	

17-48C2RW-LH2   17-48C2RW-RH2   17-48C2RW-LV2   17-48C2RW-RV2

LED MARKER LAMPS

61.50   190.21   78.37   32.04   102.07   24   54   74   104   RED: +   BLACK: -

61.50   148.64   78.37   32   143.64   74   104   24   RED: +   BLACK: -

17-48C2ARW — LED ENDING OUTLINE STALK MARKER LAMP

|	
DESCRIPTION	· 5PCS SMD LED · ABS/PC Black Housing, PMMA Lens · EPDM Arm 45° · Front/Side/Rear Marker Function
VOLTAGE	10-30V
POWER CONSUMPTION	1.6W
MOUNT	ST 3.5
APPROVALS	ECE R7
FUNCTION	Front Position; Rear Position; Side Position;
LENS COLOR	Clear and red
WARRANTY	3 Years
WATERPROOF	IP 67
OPERATING TEMPERATURE	-40° C to +65° C
PACKAGING	Net Weight: 0.18KG Inner box: 148*66*154mm Outer Packing Carton: 353*310*328mm Packing Qty: 20PCS/CTN

Part Number	MOUNT	VOLTAGE	LEDs	OUTER LENS COLOR
17-48C2ARW-LH3	HORIZONTAL MOUNT	10-30V	2 PCS SMD White 2 PCS SMD Red 1 PCS SMD Amber	Clear Lens
17-48C2ARW-RH3	HORIZONTAL MOUNT		2 PCS SMD White 2 PCS SMD Red 1 PCS SMD Amber	
17-48C2ARW-LV3	VERTICAL MOUNT		2 PCS SMD White 2 PCS SMD Red 1 PCS SMD Amber	
17-48C2ARW-RV3	VERTICAL MOUNT		2 PCS SMD White 2 PCS SMD Red 1 PCS SMD Amber	

17-48C2ARW-LH3   17-48C2ARW-RH3   17-48C2ARW-LV3   17-48C2ARW-RV3

LED MARKER LAMPS

RED: +
BLACK: -